

# Amber Charm

## REC502



### General

|                |                            |
|----------------|----------------------------|
| Trade Name     | <b>Amber Charm</b>         |
| Technical Name | <b>REC502</b>              |
| Shape          | <b>Rectangular</b>         |
| Pool Area      | <b>12.03 m<sup>2</sup></b> |
| Water Depth    | <b>1.06 m</b>              |
| Water Volume   | <b>12.75 m<sup>3</sup></b> |
| Warranty       | <b>5 years</b>             |



### Construction

|                            |                                  |
|----------------------------|----------------------------------|
| Material                   | <b>Scandinavian Pine</b>         |
| External Dimensions (cm)   | <b>502 x 322 x 124</b>           |
| Internal Dimensions (cm)   | <b>449 x 269 x 120</b>           |
| Terrace Board Width        | <b>290 mm (2x 145 mm)</b>        |
| Terrace Board Thickness    | <b>45 mm</b>                     |
| Logs Structure             | <b>45 x 133 mm</b>               |
| Pressure Impregnated       | <b>Yes (Class IV)</b>            |
| Steel Reinforcement        | <b>10x I-Beam / 10x Foot</b>     |
| Vertical Bearer            | <b>5</b>                         |
| Internal Ladder            | <b>3 steps / stainless steel</b> |
| External Ladder            | <b>4 steps / wooden</b>          |
| Stairs Bearer              | <b>Yes</b>                       |
| Concrete Screed Required   | <b>Yes</b>                       |
| Skimmer                    | <b>1 (Standard)</b>              |
| Inlets                     | <b>1</b>                         |
| Sand filtration system set | <b>PH400</b>                     |
| Liner Thickness            | <b>75/100</b>                    |
| Liner Color                | <b>Blue</b>                      |
| Hardware                   | <b>Stainless Steel</b>           |






### Additional Equipment

|                        |                                     |
|------------------------|-------------------------------------|
| Summer Pool Cover      | <b>LETNIE.REC502</b>                |
| Winter Pool Cover      | <b>SET.ZIMOWE.REC502</b>            |
| Stainless Steel Covers | <b>SET.NAR.SS.4REC.2PR.45</b>       |
| PVC Covers Brown       | <b>SET.NAR.PVC.8025.4REC.2PR.45</b> |
| PVC Covers Green       | <b>SET.NAR.PVC.1020.4REC.2PR.45</b> |
| PVC Covers Gold        | <b>SET.NAR.PVC.RPF.4REC.2PR.45</b>  |

### Equipment

|                               | <b>Complete</b> | <b>No Filtration</b> | <b>Structure Only</b> |
|-------------------------------|-----------------|----------------------|-----------------------|
| Liner Set                     | Yes             | Yes                  | No                    |
| Geotextile (walls and ground) | Yes             | Yes                  | No                    |
| Skimmer and Inlet             | Yes             | Yes                  | Yes                   |
| Stainless Steel Ladder        | Yes             | Yes                  | No                    |
| Wooden External Ladder        | Yes             | Yes                  | Yes                   |
| Pump Assembly Fittings        | Yes             | No                   | No                    |
| Pump and Sand Filter          | Yes             | No                   | No                    |

- \*hight: 9 layers
- \*steel post
- \*pool area = 12.03 m<sup>2</sup>
- \*water depth ≈1.06 m
- \*water volume ≈12.75 m<sup>3</sup>



## ABATEC STANDARD



### Rec 502




internal: 449x269x120[cm]  
external: 502x322x124[cm]

type of equipment:  
small skimmer  
one nozzle

feedstock:  
pine IV class

Drawing No:  
Ab\_rys  
431/03/2021

- \*hight: 9 layers
- \*steel post
- \*pool area = 12.03 m2
- \*water depth ≈1.06 m
- \*water volume ≈12.75 m3



**ABATEC STANDARD**



**Rec 502/FOOT**

internal pool:449x269x120  
external pool: 502x322x124

type of equipment:  
small skimmer  
one nozzle

feedstock:  
pine IV cl.

Drawing No:  
Ab\_rys  
651/10/2024